DIGITAL CREASING / PERFORATING





Low- to medium-volume creasing, scoring and perforation


Top friction-feed operation


Rotary perf/score, including micro-perf

Automatic sheet set-up with a single touch

Supports perfect-bind covers

Auto setups of all the following:





Get the features and speed you need, in an easy-to-use, affordable machine.



Count

EZCREASER

EZCreaser

Rotary Actuated Impact Creaser



Rotary Perf and Score



Micro Lateral Adjust

The COUNT[™] EZCreaser gives you the robust features you need at an economical price, for lower to medium volume creasing, scoring and perforating. You get the speed and reliability of a top-feed automatic friction paper feeder, with smooth, consistent operation. You get a machine that's simple to set up, and easy for anyone to use with the popular COUNT touch-screen operation, and one-touch automatic set-ups built in. And you get even higher speeds for operating in perf mode, with 5 interchangeable perf options (including micro-perf).



EZCreaser

An easy-to-use, affordable solution for low- to medium-volume creasing, scoring and perforation.

Features

- Offers a reliable top-load friction paper feed.
- Rotary actuated impact creasing.
- Automated Distance Recognition allows auto setups for your most common creases and corresponding folds, including perfect bind.
- Comes standard with rotary perf wheel assembly.
- Optional micro-perf and score wheel assemblies are available.
- Includes micro-lateral adjustable feed rails and sheet counter (batch and total counting).
- Add the COUNT[™] KF-200 or another inline folder.
- Add the optional inline transport to feed directly into the COUNT[™] CountCoat or other UV coaters.
- Two-sided creasing die- one side has a narrow crease and the other a wide crease for heavier stock- to change, simply remove the die and flip it over.
- User-friendly touch screen for easy set up and control of the machine.

COUINT MADE IN USA

Automatic Set-Up for Many Common Folds

Half Tri-Fold Z-Fold Letter Fold Roll Fold Gate Fold Double Gate Fold Double Parallel Fold Perfect Bind - No Hinge Perfect Bind - Single Hinge

Specifications

Model:	EZCreaser
Model No.:	EZCREASER
Paper Feed:	Friction
Weight:	144 lbs (66 kg)
Max Compression Crease: (sheets per hour)	4,500
Max Rotary Perf/Score Speed: (sheets per hour)	12,000
Paper Weight Range: (gsm)	60 - 350
Dimensions:	47.0 L x 29.0 W x 22.0 H in (119.4 x 74.0 x 56.0 cm)
Max Sheet Size:	18 x 24 in (45.7 x 50.8 cm)
Min Sheet Size:	4.5 x 4.5 in (7.6 x 12.7 cm)
Electrical:	115 V, 60 Hz, 20 A or 230 V, 50 Hz, 20 A
Made in:	U.S.A.



COUNT print finishing equipment is manufactured by Martin Yale Industries, LLC. 251 Wedcor Avenue, Wabash, Indiana 46992 260-563-0621 | Fax: 260-563-4575 www.martinyale.com



COUNT is a trademark of Martin Yale Industries, LLC. Copyright © 2017. All rights reserved. Rev B 01/2017